Part 1

Mobile, Communication & Broadcasting Equipments

GobizKOREA Official Guide
published by Korean Government Agencies(SMBA and SBC)

A2i

2F, Woosung B/D, 915-10, Bangbae-dong, Seocho-gu, Seoul, Korea
T +82-2-525-6986
F +82-2-525-6988
sales@a2i.co.kr
www.a2i.co.kr
Product: IP Set Top Box, AV Player



IVY LX-610(LINUX)
Embedded Linux 2.6
MPEG-1 Audio Layer-3(MP3)
AC-3(Dolby Disital) Pass
WMV9 720×480

Nine Lanes Inc.

4F Corecess Building 500-2, Sangdaewon-dong, Jungwon-gu, Sungnam-si, Gyeonggi-do, Korea
T +82-31-737-7900
F +82-31-737-7999
sales@ninelanes.tv
www.ninelanes.tv
Product: IP Set-top Box

SEDICI Series
SEDICI Series is the world's first IP Convergence Endpoint which offers Video Conference and Internet TV together. SEDICI will bring you new experience - Professional Level of Video Conference, Voice over IP, TV Telephony System, High Quality VOD, Internet TV with EPG, and On-Line Gaming.

INFOEQ Co., Ltd.

Eaho Bldg. 740-1 Yeoksam-dong, Gangnam-gu, Seoul, 135-924, Korea
T +82-2-538-3270
F +82-2-538-4916
cshin@infoeq.com
www.infoeq.com
Product: IP Set-top Box, Network Broadcasting Solution



IME50
IME50 is a Embedded Linux based IPTV STB for IP broadcasting, VOD and bidirectional communication. The STB can decode MPEG2, WMV9, H.264 upto HD resolution. It can be used to build a VOD or IP broadcasting solution for hotels, hospitals, residentials and educational institutes.

PPI Inc.

958-10 Daechon-dong Buk-gu, Gwangju, 500-470, Korea
T +82-62-972-0116
F +82-62-972-0117
ehchoo@ppitek.com
www.ppitek.com
Product: Thermo Optical Switches, Beam Splitter, Wave Guide Foundry

Arrayed Waveguide Grating(AWG) Multi/Demultiplexer
AWG multiplexers are used in WDM fiber Optics communication.
They offer low insertion loss, low crosstalk, and high temperature stability.
AWG modules function as 1°×N optical Multi/Demultiplexers in Dense Wavelength Division Multiplexing systems.

CryptoTelecom Co., Ltd.

#976-5 GwangHee B/D 5F, Hogye-dong, Dongan-gu, Anyang-si, Gyeonggi-do, Korea
T +82-31-360-1331
F +82-31-360-3707
crypto@cryptotelecom.com
www.cryptotelecom.com
Product: Network Camera,

Network Server, Network A/V Client, NVR(IP Recorder)

S-152
CryptoServer S-152 MPEG4 Network A/V Server enables real-time and high resolution remote monitoring and surveillance (30 frames @ NTSC, 25 frames @ PAL) with A/V recording from any analog cameras over IP Network.

Lee Technology Korea Co., Ltd.

3rd FL., Automobile Department Store Bldg #499-2 Sang3-dong Wonmi-gu Buchon-si Gyunggi-do Korea
T +82-32-324-9838
F +82-32-324-9840
webmaster@leetek.org
www.leetek.org
Product: Wireless Communication Equipment & Communication Equipment

QBTLTK-1400A
Frequency: UHF Technology
Frequency Stability: ±1.5 ppm
Deviation: ±4.5 KHz
Code Format: POCSAG
Modulation Scheme: F S K
Data Rate: 1200 BPS
Weight: 0.8 kg
Dimension(mm): 185×180×45

IDARM Co., Ltd.

#303 Gayang Techno Town 1487 Gayang 3-dong Gangseo-gu Seoul Korea
T +82-2-3661-0420
F +82-2-3661-0426
idarm@idarm.com
www.idarm.com
Product: DVR Board, Security Camera

OID12016 II
Camera Input: 16CH
Display speed(NTSC/PAL): 120fps /100fps
Recording speed(NTSC/PAL): 120fps /100fps
Audio: 4ch
Compression Size: 3k
Compression Method: MJPEG, MPEG4

WYD Technology

Shin Daedong Bldg. (RM #302) #1667 Sillim8-dong Gwanak-gu Seoul 151-903 Korea
T +82-2-854-1114
F +82-2-854-2223
goldbc@wydtech.com
www.wydtech.com
Product: Networked IP Video Solutions, ISDN Video Solutions, Fiber Solutions, DVR Board

VIP10
Video Standard: MPEG-4 (ISO/IEC 14496), M-JPEG
Audio Standards: G.711; 300 Hz - 3.4 kHz
Video Data Rate: 9.6 kBit/s - 4 MBit/s (MPEG-4)
Audio Data Rate: 64 kBit/s
Video Encoder MPEG-4: 704×576 4CIF, 704×288 2CIF, 352X288 CIF, 176×144 QCIF

DGStation Co., Ltd.

Ji-Hyun Plaza, 4th~5th floor, 175-2, Yatap3-dong, Bundang-gu, Sungnam-si, Gyunggi-do, Korea
T +82-31-781-9015
F +82-31-781-9016
sales@dgstation.co.kr
www.dgstation.co.kr
Product: Linux PVR, STB, DVB

RELOOK 400S
LINUX open source (some parts under the terms of GPL, accordingly expandable)
Max. Two Channels

Recording and one Prerecorded Program Playback Enjoy enhanced watching and recording of TV programs

Seohwa Telecom Co., Ltd.

Seohwa Bldg. 678 Gasan-dong, Gumcheon-gu, Seoul, Korea
T +82-2-2109-3800
F +82-2-838-5313
bandilon@seohwa.co.kr
www.seohwa.co.kr
Product: Repeater System, DTVSystem, DMB

SRA140
Remotely/Locally Monitoring & Control
Water-proof case : Can be Mounted Outdoors
Simple Installation & Maintenance

Compix Co., Ltd.

1041-1, Sadang 1-dong, Dongjak-gu, Seoul, Korea
T +82-2-525-5900
F +82-2-525-5901
compix@compix.co.kr
www.compix.co.kr
www.compixmedia.com
Product: Character Generator

LCG9000R HD
Provides an Intuitive GUI with WYSIWYG layout
Multilingual support using window IME setting
Complete turnkey solution to eliminate system compatibility or set up worries.

Airtech I&C Co., Ltd.

33 B/9L, 613-9 Namchon-dong, Namdong-gu, Incheon, Korea
T +82-32-815-1119
F +82-32-815-1778
sales@airtech21.com
www.airtech21.com
Product: Wireless Telegraph, Radio

ATP-100
When Airtech began designing two-way radio for the 21st century, we set about revolutionizing business communications to bring you a generation of radio that is both intelligent and friendly. For business s large or small the versatile ATP-Series will satisfy the most demanding professional.

Kiscom Co., Ltd.

#603, Hanshin IT Tower Bldg., 235, Guro-dong, Guro-gu, Seoul, Korea
T +82-2-861-2251
F +82-2-838-8058
kis@kiscom.co.kr
www.kiscomm.co.kr
Product: RF-ID, Auto -ID System



KIS900W-4ch
Size = 200×250×35 (L×W×H) mm
Power = Supply 5V DC@2.0A
Interface = RS-232, RS-422 (Optional : TCP/IP)
Data Storage = Up to 200 tags (Depending on Tag Version)

KACE TELECOM Co., Ltd.

Yellim Bldg., #601, 544-1, Guro-dong, Guro-gu, Seoul, 152-861, Korea
T +82-2-538-2707
F +82-2-538-2709
ycintl@kornet.net
www.kace.co.kr
Product: PMR Radio, Radio Accessory, Data Radio

PMR RADIO
Easy operation
8 channels
38 privecy tones on each channel
Large clear backlit LCD display
Dual channel monitoring

Sunmyung Electro-Telecom Co., Ltd.

68-4, Shinchon-ri, Kyoha-eup,
Paju-si, Gyunggi-do, 413-832,
Korea
T +82-31-943-8525
F +82-31-943-8527
salem5@sunmyung.com
www.sunmyung.com
Product: Surveillance, Network Solution

CQ360
4 Channel, MPEG-4, Linux Embedded
Comfortable Control - Remote Controller & Mouse
Multi-functional Net-Client Software for Home Control and Security (16 DVR Concurrent Connection and Management)

Hanjin Electronic Ind Co., Ltd.

Sangsu-ri, Nam-myeon, Yangju-si,
323-1, Gyeonggi-do, Sangsu-ri,
Nam-myeon, Yangju-si,
Gyeonggi-do, Korea
T +82-31-867-0861~3
F +82-31-867-0863
hanjinetc@yahoo.co.kr
www.hanjinetc.co.kr
Product: Communication Transmitter, Broadcasting Equpment

MF / HF RADIO TRANSMITTER
- Full Solid-state Design MOS-FET Power Amplifier
- Multi-Power Module Combine HSS-3000S(3kw): 4 Modules HSS-5000S(3kw): 6 Modules
- Remote Contral Srvice Parellelport RS-232 422/485

Koreaafis Co., Ltd.

899-4, Hogye2-dong, Dongan-gu,
Anyang-si, Gyeonggi-do, Korea
T +82-31-427-4133
F +82-31-477-4430
afis@afis.co.kr
www.afis.co.kr
Product: USB Cable hands Free, Charger, Wire Harness, Communication Related Product

Mini USB Cable

Hunetec Co., Ltd.

D-307 Bundang Techno Park,
151, Yatap-dong Bundang-gu
Seongnam-si Gyeonggi-do Korea
T +82-31-707-3430
F +82-31-707-3464
dhhwang@hunetec.com
www.hunetec.com
Product: CDMA Device, GSM Chip, Flex Pager, Bluetooth

M900R
SIZE: 3.4"×2.4"×0.9"
Weight: 106g
Color: Black
Housing: Polycarbonate

Operating temperature range
With battery: -20° to 65°
Without battery: -30° to 85°

Netwave Co., Ltd.

389-2 Songnae2-dong Sosa-gu
Bucheon-si Gyeonggi-do Korea
T +82-32-222-2000
F +82-32-222-2001
seakimin@net-wave.co.kr
www.net-wave.co.kr
Product: Optical Transmission, Trunk Line, Headend

ONU2A-AM75xx
This transmission device transforms the optical signal input received from the downward optical transformed signals as the necessary signals in the cable transmitter section through the RF amplification modules with some degree of gain rate

HOMECAST Co., Ltd.

Fl. 7, East Wing, IT Venture Tower, Garakdong 78,
Songpa-gu, Seoul, Korea
T +82-2-2142-3700
F +82-2-2142-3749
trading@trius.co.kr
www.homecast.net
Product: Terrestrial Receiver, Satellite Receiver, Cable Receiver

EM-1200IR
Brilliant On Screen Graphic
MPEG-2 Digital & Fully DVB Compliant
MPEG-2 Video (MP@ML), MPEG-1 Audio Layer1, Layer2
PLL RF-Modulator UHF 21~69 with PAL I/G/B/D/K
Digital Tuner with Loop-through

KAONMEDIA Co., Ltd.

A-901, Ssangyong IT Twin Tower
442-17, Sangdaewon-dong,
Jungwon-gu, Seongnam-si,
Gyeonggi-do, Korea
T +82-31-600-2000
F +82-31-602-7700
info@kaonmedia.com
www.kaonmedia.com
Product: Set Top Box

Kvr-3000
2 Tuners PVR (DVB-S)
Simultaneous Time-shifting & Dual Recording
NDSXTV middleware

GLOBAL Technologies Inc.

401 Kicox Venture Center B/D,
188-5 Guro-dong, Guro-gu, Seoul,
Korea
T +82-2-6300-4111
F +82-2-6300-4112
info@globalteq.com
www.globalteq.com
Product: Set Top Box,
Telecommunication Equipment,
Multimediamanu facturing industry

GSR 300
MPEG-2 Digital and Fully DVB-S Compliant
5 Favorite CH.Group : Max.100Ch. In a group
Powerful Channel Control by Favorites, Parental Lock, Move, Delete, Skip, Rename
Channel Editing : Sort, Move, Parental Lock, Skip and etc.

Darim Vision Co., Ltd.

124-1, Cheokbug-ri, Nami-myeon,
Cheongwon-gun,
ChungCheonbuk-do, Korea
T +82-43-269-2671
F +82-43-269-2670
skcho@darim.com
www.darim.com
Product: Surveillance, Streaming, DMB

MV401exp
The VideoSpider systems are first class digital surveillance and recording systems, which exceed the capabilities of other solutions in performance, quality, and reliability. Comprised of turn-key VideoSpider Servers and common Client stations, these surveillance systems provide simultaneous live video monitoring, recording

and playing back over IP LANs, WANs and the Internet.

VSST Co., Ltd.

#202, Baeksin Bldg 630-19
Shinsa-dong, Gangnam-gu, Korea
T +82-2-3443-6413~5
F +82-2-515-5726
vsst@vsst.com
www.vsst.com
Product: Existing CCTV-DVR, Existing RTF

VR-110A
Encodes various Video/Audio signal into MPEG 4 format to support real-time streaming service
Hardware based MPEG-4 encoding assures strong and stable performance
Audio/Video stream output can be used freely in wire / wireless environments such as PC Internet, WLAN (laptop), Mobile Network (PDA/Mobile Phone) Network Protocol for Streaming Service

CMOTECH Co., Ltd.

Level 5 Etronics Building, 17-10, Yeouido-dong, Yeongdeungpo-gu, Seoul, Korea
T +82-2-368-9811
F +82-2-785-2369
webmaster@cmotech.com
www.cmotech.com
Product: USB Modem, Embedded Module

CCU-550
Radio Frequency: Band: 800MH(RX: 869~894 MHz TX: 824~849 MHz)
RX Sensitivity: Nominal -106dBm
Dimensions: 94×31×12mm(24.9g)
Environmental: Storage: -30~+75°/Operating: -20~+50°
Data Options: Packet data, Async data, Two-way SMS, QuickNet Connect
CDMA Max<700㎃
CDMA Typical<250㎃
Sleep<2㎃
Operation Voltage: 5.0 VDC

TaoNetworks Inc.

7F 705, Guro-dong, Guro-gu, Seoul, Korea
T +82-2-865-0555
F +82-2-865-0533
webmaster@taonetworks.com
www.taonetworks.com
Product: Policy Based Bandwidth Management Solution, SpamHammer

TaoLess
Totality : Full-featured functionality
Availability : 24 hours×7 days operation
Optimality : Throughput & Performance Improvement

Soltech Co., Ltd.

3F. #21, Wonhyoro-2ga, Yongsan-gu, Seoul, 140-847, Korea
T +82-2-706-2422
F +82-2-313-1044
soltech@soltech.co.kr
www.soltech2000.co.kr
Product: Media Converter, Unmanaged Fiber Switch, FTTH Fiber Switch, Fiber Optic Modem

SFC2000-TWL 10
1000BASE-LX, 1-Fiber(WDM) Singlemode 1310nm, SC Connectors, 10km
UTP Port(10/100/1000Mbps) to Fiber Port(1000BASE-LX, WDM single strand fiber)
Single-mode fiber cabling(10/125㎛10km)
Support MDI/MDI-X auto crossover
Dimensions: 118mm(W)×184mm(D)×34mm(H)

Coweaver Co., Ltd .

Coweaver B/D, 446-19 Seogyo-dong, Mapo-gu, Seoul, 121-841, Korea
T +82-2-3140-3300
F +82-2-338-2984
coweaver@coweaver.co.k
www.coweaver.co.kr
Product: Optical Transmission System

Star-CW1664
Star-CW1664 is a Multi-service Provisioning Platform (MSPP) which provides various multiple networking functions in a single platform.
Star-CW1664 provides TDM solutions with T1, E1, DS3, Ethernet solutions with 10 Base-Tx, 100/1000 Base-Tx/Fx and SDH solutions with STM-1 to STM-64.

Bestdigital Co., Ltd.

8th Floor Worldvision Bldg. 234-6 Gochen-dong Uiwan-si, Gyunggi-do, Korea
T +82-31-427-4660
F +82-31-427-4663
bruce@bdvr.co.kr
www.bdvr.co.kr
Product: Digital Video Recorder, Central Monitoring System, Digital Surveillance System

Catcheye Series
16ch MPEG4 DVR system(Display 480fps Recording 120/240/480fps)
Compatible with CMS (Central Monitoring System)
POS, ATM Integration via LAN line and Smart Data link search
Flash made user friendly GUI
Reliable WindowXP Embedded OS

DongYang Telecom Co., Ltd.

Dongyang telecom 7-41, Songdo-dong, Yeonsoo-gu Incheon, Korea
T +82-32-714-5000
F +82-32-714-5100
dongyang@dyt.co.kr
www.dyt.co.kr
Product: HFC, MATV/CATV, SMATV, Home Network



MATV(Master Antenna)
VL0606-05VRS
VL0206-05VRC
VH0713-08VR I, II,
UL1438-19VR I, II,
UM3660-19VR I, II, main channel

TTI Tech Co., Ltd.

TTI House, 163-4, Poi-dong, Gangnam-gu, Seoul, 135-260, Korea
T +82-2-517-0043
F +82-2-518-2419
hjlee@ttikorea.co.kr
www.ttikorea.co.kr
Product: Two-way Radio - Consumer Radio, Business Radio, Marine Radio, CB, Scanner

TX-150M
Marine 88 Channels, Int'l/ US/ CAN, NOAA Weather Channel, Scan,
Battery Alert, Call Ringer, Priority Scan, Monitor, Dual Watch/ Triple Watch,
Auto Power Save,
Emergency Channel,
Squelch Level Adjustment,
LCM (Last Channel Memory), LCD Backlighting,
Desktop Charger (Quick/ Slow)

Wisembed Co., Ltd.

Room 808, Hansin IT Tower, 235 Guro 3-dong, Guro-gu, Seoul, 152-768, Korea
T +82-2-865-6223
F +82-2-865-6227
overseas@wisembed.com
www.wisembed.com
Product: Slim IP VOD BOX, HD IP TV Service based on Linux, VOD STB for Business, Internet Entertainment BOX, Advertisement STB based on Digital contants

WE-310
Optimize the stability platform based on SoC for IPTV
Provide high quality with HD H.264, VC-1, MPEG2, MPEG4 and WMV
With supporting of HDMI standard interface, optimize digital multimedia sending
A Competitive price with SoC Type comparing with Two Chip System

MPlus Technology Co., Ltd.

#205 Gayang Techno Town, 1487 Gayang3-dong, Gangseo-gu, Seoul, Korea
T +82-2-2668-7140
F +82-2-2668-7121
sales@mplustec.com
www.plustec.com
Product: Cable Modem, VDSL, Switching Instrument, RF Instrument, LAN Card, IP STB

DS-1000/DS-2000
The DS-1000 introduces high performance advanced decoding H.264 MP, WMV-9, VC-1 capability with High Definition(HD) resolution, yet meeting low-cost.
This provides Video on Demand (VOD) and IP-TV service smoothly over Internet Protocol via even lower bandwidth networks.

Eidicom Co., Ltd.

Polychem B/D 4th Floor, 900-1, Kwangyang-dong, Dongan-gu, Anyang-si, Gyunggi-do, 431-060 Korea
T +82-31-422-3397
F +82-31-422-3773
sales@eidicom.com
www.eidicom.com
Product: DECT, VoIP, Wi-Fi, WDCT, Multimedia Devices

X-9500
1.5" Color full graphic LCD
255 Phone book
32 Polyphonic Midi ring tone
SOS Telephone number
Day & Night Bell True sound melodies
Wall papers
Hands free
CID, SMS
Morning Call

YISO Wireless Co., Ltd.

Suite 407~410, Gold, 217 Yangjae-dong, Seocho-gu, Seoul 137-917, Korea
T +82-70-7019-8500
F +82-2-2059-8164
sales@yiso.co.kr
www.yisowireless.com
Product: Data Cards, Embedded Modules, External Modems, GPS Terminals

C893
Frequency Range 800MHz & 1.9GHz
Qualcomm MSM6500 Chipset
PCMCIA Interface
Data and SMS Support
Voice(8K EVRC, 13K QCELP) Support
IS-2000 Release 0, IS-856 Support

Haiyang OLIX Co., Ltd.

100~103 Bucheon Techno Park
1-Danji Samjeong-dong
Ojeong-gu Bucheon-si
Gyeonggi-do Korea
T +82-2-324-0381
F +82-32-327-4713
haiyang@haiyang.co.kr
www.haiyang.co.kr
Product: Radar, Fish Finder

HGP-800
High speed zoom-in & zoom-out
Remote display is available(option)
Wire/Wireless remote

controller(option)
SMC is avallable for upgrading the sorfward, the extra chart and backup user dad(Tracks, route, WPTs, etc.)

ERAESEEDS Co., Ltd.

#40 Wonhyoro2-ga, Yongsan-gu, Seoul Korea
T +82-2-714-3080
F +82-2-714-3086
good@eraeseeds.co.kr
www.eraeseeds.co.kr
Product: CC TV, CA TV, Multi-Image Transfer Device, Industrial Computer Demodulator, Transmission System, CATV Headend System

CMM-3004

- Enables easy transmission of high-quality and narrow band by using SAW VSBF Filter
- Ensures high frequency stability by adopting a PLL Synthesizer frequecy oscillation method.
- Adjustable Video input level per channel
- Video input status per channel is dispayed on LED, allowing users to check the input status easily.
- Built-in RF AMP, allowing the adjustment of AMP gain depending on the equipment installation distance
- Variable RF output range (20±2dB)
- Demodulates control signals (PAN/TILT, LENS, etc.), and outputs them to RS-485 signals (rotation type)

CELRUN Co., Ltd.

Celrun Bldg, 36, Garak-dong, Songpa-gu, Seoul, Korea
T +82-2-3675-2672
F +82-2-3675-5800
gavin@celrun.com
www.celrun.com
Product: IP Set-Top-Box, Satellite, USB Camera

TD 510
Linux-based TD510 mid-range product offers service providers to deliver high quality video content and internet telephony over DSL. It is designed to provide video on demand and video over IP to suit any ISP's environment supporting major DRM/CA solutions as well as standard IPTV features including web mail, internet access on unicast and multicast protocol support.

Opentech Inc.

13F, SJ-Technoville 60-19, Gasan-dong, Geumcheon-gu, Seoul, Korea
T +82-2-3397-0600
F +82-2-3397-0685
gg1212@opentech.co.kr
www.opentech.co.kr
Product: Digital Satellite Receiver, Personal Video Recorder

ODS 3600F
Fully MPEG-2 & DVB Compliant
Input Frequency 950 - 2150 MHz
Supports SCPC & MCPC from C/Ku-band
1 LNB Input Tuner with Loop Through IF Signal
Tuner Symbol Rate: 1~45 MS/s
Fast Booting & Auto Scan
Quick Channel Changing Speed Less than 1 Sec.

FNET Co., Ltd.

#2, 173-29, Gongdeok-dong, Mapo-gu, Seoul, Korea
T +82-2-3272-3360
F +82-2-3272-3356
webmaster@f-net.co.kr
www.f-net.co.kr
Product: NetSwitch, Wireless LAN

Net switch II-M
As the threat of information leakage through the internet has become increased, many security-oriented organizations have traded very warily on the internet connectivity. For their networksecurity, they

started separating their networks, into the external network, physically and tried to secure their networks.

Piolink Inc.

3F M Bldg. 221-5 Nonhyun-dong
Gangnam-gu Seoul Korea
T +82-2-2025-6969
F +82-2-2025-6901
james@piolink.com
www.piolink.com
Product: Application Switch, Web Security Switch

PIOLINK Application Switch 4000
L7 Application Switching fully inspects the Internet traffic passing through an Application switch to IP packet data area and sends the traffic to appropriate server/application resource or blocks.

KYOUNGDO SYSTEM Co., Ltd.

373-12, Cheongcheon 1-dong,
Bupyeong-gu, Incheon, Korea
T +82-32-518-9221
F +82-32-518-9934
canuck@kdc98.com
www.kdc98.com
Product: Communication machine, Industrial machine

DSL Enclosure
Cooling Method - Forced cooling with fan
Configuration - ADSL equipment - terminal box + battery enclosure
Box type with hight - density ports for installation intight spasce

DONGWON SYSTEMS CORPORATION

621-3, Bakdal2-dong, Manan-gu,
Anyang-si, Gyeonggi-do, Korea
T +82-31-467-7000
F +82-31-444-7900
yongckim@dw.co.kr
www.dongwonsystems.co.kr
Product: Fiber Optic, Wireless, NetWork, Security

MegaLight™ , OADM
Capacity: Max. 320 Gb/s(1+1 redundancy), 32 channel
Extendable channel: Max.32 frequencies extention without effect to existing traffic
Topology: Hubbed ring, meshed ring, point-to-point, linear ADM, and 2-fiber ring

FO & T Inc.

161-4, Geumjeong-dong,
Gunpo-si, Gyeonggi-do, Korea
T +82-31-458-2131
F +82-31-457-7562
jmshim@fo-t.com
www.fo-t.com
Product: Telecom Equipment

FOT-155MF
FO & T's "FOT-155MF" Systems are applicable to DS1/DS1E/DS3/Ethernet signal multiplexing and transmitting into STM-1 signal

T&C Global System Co., Ltd.

#401 Cheongsong Plaza, 579-4
Daeya-dong Sihung-si Gyunggi-do
Korea
T +82-31-456-0300
F +82-31-456-7817
sykim@tncglobalsys.co.kr
www.tncglobalsystem.co.kr
Product: Headset Amplifier, Multi Box, Dsp Headset, Telephone Headset

Headset Telephone
It is the product that can use the Headset without extra telephone, it is very light and easy to install, so it can use any place like office, call center etc.

Edz Com Co., Ltd.

283-7 Taeyoung B/D 283-7
Gochen-dong Euiwang-si
Gyunggi-do Korea
T +82-31-429-3805
F +82-31-452-3064
bjhong@edigicom.co.kr
www.edigicom.co.kr
Product: Automatic Calling System, Call Management System

SOHO ACS 416
Total recording time: max. 1 hour
Total messages #: 8
ACS #: 3
Bundled CRM provided
Auto Calling System with voice messages
PC Interface support

Bridge Communication Co., Ltd.

775-1 Janghang-dong, Ilsan-gu
Goyang-si, Gyounggi-do, Korea
T +82-31-902-2230
F +82-31-902-2248
stone@top-bridge.com
www.top-bridge.com
Product: Mobile Phone, CDMA USB Modem, CDMA WLL Phone, CDMA Module

BRG-F100
Protocol: CDMA 1X RTT 800MHZ(MSM5105 Qualcomm Chipset), gpsOne(option)
Size: Small &Compact Size(50×33×5.8)
Interface: 70 Pin Interface Connector

JYSCOM Co., Ltd.

5-33 Mangpo-dong, Yongtong-gu,
Suwon-si Gyounggi-do Korea
T +82-31-206-3200
F +82-31-206-0232
sales@jyscom.co.kr
www.jyscom.co.kr
Product: Optical transmission system, Trunk transmission system, Passive appliance, connector

JYS-1310TXM
54~870MHz Bandwidth
LED Indicator to RF input status
Cooling fan motor inside of each TX
Broadcast and Narrowcast applications
Laser type: Cooled DFB LD with isolator
Optical wavelength: 1310°æ20nm×Connector: SC/APC, FC/APC(option)

ACTIPASS Co., Ltd.

#366, Kwirae-ri, Jungnam-myun,
Hwasung-si, Gyunggi-do, Korea
T +82-31-353-5001
F +82-31-353-4637
sales@actipass.com
www.actipass.com
Product: General measuring instrument, Special measuring instrument, Private measuring instrument, Mobile communication repeater, Base station monitor

ARPL(1800G)
The repeater ARPL-1800G extends base station coverage to shadow area caused by large buildings and other structures that can obstruct signal. The ARPL-1800G is suitable for install small buildings, home, subway stations and shopping malls and so on.

SHINET Co., Ltd.

D-709 Bundang Techno Park, 151 Yatap-dong Bundang-gu
Seongnam-si Gyeonggi-do Korea
T +82-31-706-4373
F +82-31-733-5263
manlopak@shinet.co.kr
http://shinet.co.kr
Product: DVR System, CCTV Camera, VDP System, MobileSystem, Recorder System, Digital Door Lock, PTZ Controller, Accessories, CCTV Monitor

e-DVR Series
Windows XP Professional
32/16 Channel Video Recording
32/16 Channel Audio Recording
Real Live Display
Recording 480fps, 240fps, 120fps
MPEG-4 Compression

Tekmax Telecom Co., Ltd.

#605, Ilsan Techno Town 1141-1, Baekseok-dong, Ilsan-gu,
Goyang-si, Gyungki-do, Korea
T +82-31-812-3321
F +82-31-812-2646
shpceo@tekmaxtele.com
www.tekmaxtele.com
Product: Portable Transceivers, Mobile Transceivers, Base Stations

Portable transceivers
Tekmax Telecom has been supplying radio communication systems and equipment since its establishment.

Nextlink Co., Ltd.

JungAng Induspia 701 144-5, Sangdaewon-dong, Jungwon-gu,
Seongnam-si, Gyeonggi-do, Korea
T +82-31-737-6060
F +82-31-737-6263
jsc@nextlink.co.kr
www.nextlink.co.kr
Product: Interference Cancellation System(3G), Fiber Optic Repeater(3G), Dual Band Fiber Optic Repeater(2G+3G), RF Repeater



Interference Cancellation System(3G)
High performance DSP technology is applied to the big RF fiber optic repeater. Previously, this was not possible to install due to isolation problems between antennas.

Springwave Co., Ltd.

#402 Hangukmullu 853-1
Dongchun-dong Yongin-si
Gyunggi-do Korea
T +82-31-272-2112
F +82-31-263-6569
chmoon60@springwave.co.kr
www.springwave.co.kr
Product: Solutions for Telecommunication Network(Optical, ATM, TDM, IP)-Test Equipment, xDSL/Wireless LAN, Network Equipment, Home Security

SV-100
The SV-100 is an all-IP based VDSL modem.
As one of the fastest DSL modems on the market, it provides speeds higher than 100Mbps, when based on FDD-DMT mode.

Worldtop Co., Ltd.

893-3, Sinjeong 5-dong,
Yangcheon-gu, Seoul, Korea
T +82-2-2608-7455
F +82-2-2608-7543
woltop@woltop.com
www.woltop.com

Product: Electretization-based Nano Film Filter, Auto Hygiene Wet Towel Dispenser, Disital Video Signal Converter Sytem

Digital video converter System

This is a converter system to converter the input video signal NTSC(3.58, 4.43), PAL-(B, G, D, K, I), PAL-M, PAL-N, SECAM into the output videos signal NTSC(3.58, 4.43), PAL-(B, G, D, K, I), PAL-M, PAL-N for home user between multi-media equipment.

Jinsung Electron Co., Ltd.

201 Bucheon Car Departmentstore 499-2
Sang-dong Wonmi-gu Bucheon-si
Gyeonggi-do Korea
T +82-32-327-2313~4
F +82-32-327-2315
shkim@jinsung-electron.net
http://jinsung-electron.koreasme.com
Product: Digital Artificial Broadcast Receiver

JSE-10000FTA

DVB/MPEG-2 Compliant
FULL 7 DAYS EPG WITH TIME RESERVATION
SUPPORTS AUTOMATIC TURN-ON AND OFF IN TIMER SETTINGS
SUPPORTS OSD/VBI TELETEXT AND SUBTITLE
NORMAL/WIDE VISION(4:3, 16:9)

HighGain Telecom Co., Ltd.

401,1-na,Sihwa Industrial Complex, 1243, Jeongwang 3-dong, Siheung-si, Gyeonggi-do, Korea
T +82-31-496-1300
F +82-31-499-5659
ybchoi@hgtel.co.kr
www.hgtel.co.kr
Product: Repeater,RF Component, Antenna, ITS, Electric & Electronics

Fiber Optic Repeater

The Fiber Optic Repeater is designed for a cost effect-tive solutiinin the wreless mobile telecommunicationnetwork and the system consists of the donor and the remote unit.

Solid Technology Co., Ltd.

13B 16L, Banwol Industry Complex, 1125-1, Singil-dong, Danwon-gu, Ansan-si, Gyeonggi-do, Korea
T +82-31-491-1970
F +82-31-419-1860
ykjeong@solid-i.com
www.solid-i.com
Product: Immobilizer/Mobile Blocker/Jammer, Bluetooth Wireless Handsfree Portable & Car Kit, Bluetooth Telecommunication Experiment Kit

Immobilizer/Mobile Blocker/Jammer

1. Range: 5-20 meter Radius(GSM/CDMA/TDMA /TACS/AMPS) (Cover range will be exetented by User's Option)
2. No Harm to Human Health(Using Very Low Power Signal)
3. Dimension: 111×144×36.2mm (W×D×H) Weight: 707g(System + AC-DC adaptor) (Small and Slim for Easy Installation)

PHILLSAT Co., Ltd.

3la 223ho, Siwha-gongdan,
1272-8, Jeongwang 1-dong,
Siheung-si, Gyeonggi-do, Korea
T +82-31-319-0501
F +82-31-319-0503
phillsat@phillsat.com
www.phillsat.com
Product: Satellite Broadcasting Antenna

PA - 045
Spec. Part Model Name:
PA - 045
Mechanical Specifications:
Optic Offset Style
Material: Hot Dip Galvanized Steel
Dish finish Powder:
Coating(Gray Color)
Effective Aperture: 450 mm
Dish Size:
515 mm(H)×470 mm(W)

Qrion Corporation

Songdo Techno-Park 7-40
Songdo-dong, Yeonsoo-gu,
Incheon, Korea
T +82-32-850-8800
F +82-32-851-6625
hiim@qrion.co.kr
www.qrion.com
Product: Network Equipment, Developping new IT Technologies

IP-DVR

L.C TEK

5F & 6F, #102, SK Ventium, 522,
Dangjeong-dong, Gunpo-si,
Gyeonggi-do, Korea
T 82-31-427-9500
F 82-31-427-2244
master@lctek.co.kr
www.lctek.co.kr
Product: Defense Industry-RF communication device, frequency hopping filter, handheld radio, RF components

AssembledRadio_ECCM
ECCM-sub Module is embedded in the electronic parts of PRC-999K with ECCM function to generate frequency hopping control signal.

Digital Network Alacarte Co., Ltd.

#904 Woorim E-BIZ Center 170-5
Guro-dong Guro-gu Seoul Korea
T +82-2-2108-2244
F +82-2-2108-2247
hjpark@cyber-dna.co.kr
www.cyber-dna.co.kr
Product: PVR, VDSL, EZ-HotSpot kit_ WSG-5000, EZ-HotSpot kit _ AG-100/AG-200

ZBP-4000/8000/12000
PVR is a new digital recorder that records and plays TV broadcasting and analogue AV program with digital method through high-capacity hard disk based on MPEG-2 image compression technology that is standard of digital broadcasting.

Jung-Woo Communication Co., Ltd.

#319-2 Sibjung-dong,
Bupyung-gu, Incheon, Korea
T +82-31-999-5851
F +82-31-981-5521
head11@jwcomm.com
www.jwcomm.com
Product: SVR-Analog satellite receiver, Digital satellite receiver/CATV

TM-3030N
Fully Compliant with MPEG2 based DVB Transmission Standards
950-2150MHz Input Frequency
QPSK Demodulator
Extended Symbol Rate(2-45MS/s)
Support SCPC and MCPC
C-/Ku-bands

Eutronix Co., Ltd.

861-5, Gwanyang 2-dong,
Dongan-gu, Anyang-si,
Gyeonggi-do, Korea
T +82-31-421-0574
F +82-31-423-2446
prelee@eutronix.co.kr
www.eutronix.co.kr
Product: Mobile phones, MP3 devices, Navigationnavigation instruments

Vtion PCMCIA
PCMCIA type II
It supports 153Kbps speed when it is connected with the CDMA 2000 1X network
A user can check the card status with a program under the connected network
It supports windows 98, ME, 2000, and XP

Sunwave Technology Co., Ltd.

Ver. 7, Dong-il Technotown, 823
Gwangyang-dong, Dongan-gu,
Anyang-si, Gyunggi-do, Korea
T +82-31-421-0457
F +82-31-421-0458
sunwave@sunwave.co.kr
www.sunwave.co.kr
Product: Optimal total communication system from CDMA, IMT-2000, and Wibro

Wibro RAS RF RMS type-P
Having total 36 ports, this equipment provides functions such as the measurement of power(Total & Channe, Preamble Power) of OFDMA type WiBro BTS(RAS)'s RF Tx/Rx, the detection of abnormality of Antenna(VSWR, Interrupt), and the gauging the receiving power level of RAS by TM.

Neowave Inc.

KRIHS B/D, 10th Fl., 1591-6
Kwanyang-dong, Dongan-gu,
Anyang-si, Gyunggi-do, 431-712,
Korea
T +82-31-380-4710
F +82-31-380-4747
jychoi@neowave.co.kr
www.neowave.co.kr
Product: Multi-Service Provisioning Platform(MSPP) and VDSL system

FM600 MSPP
FM600 series have two types of MSPP system. One is 2.5Gbps MSPP system which is called FM610, and the other is 155Mbps MSPP system which is called FM620. These two types of systems are deployed together or separately due to traffic volume.

SJTek Co., Ltd.

4F Kwang-hee B/D, 976-5
Hogye-dong, Dongan-gu,
Anyang-si, Gyonggi-do, Korea
T +82-31-453-7023
F +82-31-453-7036
sjtek@sjtek.co.kr
www.sjtek.co.kr
Product: xDSL, Data Multiplexed, Interface Converter, SOHO Router, Optical Ethernet Switch, Fiber Optical Multiplexed, Products for Next Plan, SNMP Agent Board



MSDSL RM
High-speed data transmission system MSDSL(Multi-rate Symmetric Digital Subscriber Loop) transmits N×64 or N×56 data over the existing telephone subscriber copper-wire line(2-wire or 4-wire)

Airtecsystem Co., Ltd.

598-7, Dangjeong-dong,
Gunpo-si, Gyeonggi-do, Korea
T +82-31-427-9977
F +82-31-427-9973
3btech@kornet.net
www.airtecsys.com
Product: Lartin America Micro & Pico Repeater



EXT-AMP(800MHz,20w)
Frequency Range:
868~875MHz, 823~830MHz
Gain: 15~18.5dB, 20dB
Max Input Power: 25dBm:
0dBm

ARTECH SYSTEMS Inc.

505, Daeryung Techno Tower
1-cha, 327-24, Gasan-dong,
Geumcheon-gu, Seoul, Korea
T +82-2-855-3560
F +82-2-855-3561
jh@iartech.com
www.iartech.com
Product: Wireless RF Technology, RF Parts, Military Communication Equipment, Repeater



TRC 660K
40W broadband RF power amplifier
Frequency hopping/Code division multiple access
Low current consumption(3.5A@28V)
Remove interference;
APC(Auto Power Control)/ALC(Auto Level Control)

DTV Interactive Co., Ltd.

#611, Daerung Pist Tower 1,
Guro-dong, Guro-gu, Seoul, Korea
T +82-2-3446-2040
F +82-2-3446-1513
sharky@dtvinteractive.com
www.dtvinteractive.co.kr
Product: DVB-H Signal Generator

DHG400
Broadcasting System
Digital Terrestrial TV: ARIB STD-B31
RF Output Frequency:
400-860 MHz
RF Output Level:
-30dBm(Fixed)

Nadatel Co., Ltd.

Room 308, Woorim e-Biz Center,
Guro-dong, Guro-gu, Seoul, Korea
T +82-2-856-3941
F +82-2-856-8626
cwhite@nadatel.co
www.nadatel.com
Product: Video conferencing, digital video security, video phone and high-performance DVR(digital video recorder) systems

SDVR-16000
16CH MPEG-4 TRIPLEX Digital Video Recorder
The world most cost efficient DVR with reliability and fully equipped functions
Our well-experienced and prominent R&D staffs, accumulated video compression and networking technologies, has developed up-to-date 4CH Standalone DVR.

MTI Co., Ltd.

166-10, Garak2-dong, Songpa-gu,
Seoul, Korea
T +82-2-421-4042
F +82-2-421-4043
webmaster@mtico.co.kr
www.mtico.co.kr
Product: CDMA

MTI
CDMA Link Master
IS95/97, CDMA2000-1X compatible
Able to measure Receiver Sensitivity while Base Station is in operation for normal service,

Forward Inc.

#1319 Hansincore 11-9
Shinchun-dong Songpa-gu Seoul
Korea
T +82-2-420-6004
F +82-2-420-6070
for200@chol.com
www.viewphone.co.kr
Product: Video Phone

VIDEO PHONE(NAVI-5000)
High Quality full color motion video
Easy Installation, H.324 compatible, Immediate video transmission by a button, With no additional cost or equipments, Both preview and remote view, Both preview and remote view, Privacy and security function

Artnix Inc.

2F-1, Hankook Industry B/D, 864-3, Gwanyang 2-dong, Dongan-gu, Anyang-si, Gyeonkggi-do, Korea
T +82-31-424-4595
F +82-31-426-4598
cspark@artnix.co.kr
www.artnix.co.kr
Product: DVR

ANX-16480
Recording Speed:(Real Time Recording and Playback each channel), High quality DVR to regard for user convenience

Macro Image Technology Inc.

East Bldg., 6th Floor, IT Venture Tower 78 Garakbon-dong, Songpa-gu, Seoul, 138 - 803, Korea
T +82-2-2142-4000
F +82-2-2142-4099
sales@mitinc.co.kr
www.mitinc.co.kr
Product: Digital TV Display ASIC, Digital TV Receiver, VSB Modem, Media Station with Internet Receiver

MDR-300PVR
MDR-300PVR introduces you into the new chapter of High Definition Digital Television with the ability not just to watch but also to record the memorable moment.

Alphatronics Co., Ltd.

2nd 3rd floor Seokjeong B/D 1358-4 Seocho2-dong Seocho-gu Seoul Korea
T +82-2-3474-5870
F +82-2-3474-5869
sale@alphatronics.co.kr
www.alphatronics.co.kr
Product: Mobile Phone ultra-fast charger

M SPEERON
Preserve battery life and improve battery performance because physical property of a battery is not damaged during repetitive charging due to cooling charge type. Environmentally friendly multi-function charger which can accommodate any size and type of battery

SOLiD Technologies

10th Fl., IT Venture Tower, 78, Garakbon-dong, Songpa-gu, Seoul, Korea
T +82-2-2142-3800
F +82-2-2142-3883
webmaster@st.co.kr
www.st.co.kr
Product: CDMA/WCDMA/GSM/ Dual-Band Repeater, Wibro & Mobile Wimax, DMB Solution, Hall of Fame

CDMA Repeater
With advancements in mobile telecommunications technology and increased customers' usages and needs, there is a growing demand to communicate without the limitation of time and space. However, the strength of the microwaves emitted from the base stations is limited.

C&S Microwave Co., Ltd.

513-15, Suntech city,
Sangdaewon-dong, Jungwon-gu,
Seongnam-si, Gyunggi-do
462-806, Korea
T +82-31-777-1900
F +82-31-777-1920
hbg89@cnsmicro.com
www.cnsmicro.co.kr
Product: Wireless telecommunication repeater system, Digital satellite system, R&D

DUO MW -C60
Feature: Dual Mode(CDMA/WCDMA), Outdoor Type
Application: Urban area and suburban area in substitution for Optical repeater
Service Coverage(M/W Link): 1~10Km

GS Teletech Co., Ltd.

1385-14, Juan-dong, Nam-gu,
Incheon, Korea
T +82-32-870-5654
F +82-32-876-3495
firstman7@gsteletech.com
www.gsteletech.com
Product: AMP(LPA,HPA), Measuring Devices, Power Amplifier

Protek7830
100kHz to 2.9GHz measurement range
Measures and demodulates W-FM/N-FM/AM/SSB signals
Sweep mode(Free Run, Single Run, Squelch Run)
PLL tuning system for precise frequency tuning

Sam Hwa Electronic Telecommunication Co., Ltd.

208 Shihwa Industrial Complex
3na 1278-7 Jungwang-dong
Shiheung-si Gyunggi-do Korea.
T +82-31-431-2100
F +82-31-431-2103
set@samhwaet.com
www.samhwaet.com
Product: TV Repeater, Audio, Amplifier, Filter

Analog Transmitter
TVT is a transmitter broadcasting TV signal and used for transmitting VISUAL and AURAL signal.

iTEC Technologies Ltd.

Youngsun Bldg. 3F, 108-8
Garak-dong, Songpa-gu, Seoul
138-806, Korea
T +82-2-2140-7500
F +82-2-3401-7670
sales@iteck.com
www.iteck.com
Product: Optoelectronics, Electrical interconnects

GBIC LX(1310nm Gigabit Interface Converter)
Upto1.25Gbpsapplications (ANSI)FiberChannel/(IEEE802.3z/D5.0)GigabitEthernetCompliantCompliantwithGigabitInterfaceConverter(GBIC)Operational
1310nmFPLaserwithshort/longhaulapplication
Single+3.3/5.0VPowerSupply

Kovecom Co., Ltd.

437-2 Mogok-dong
Pyeongtaek-si, Gyeonggi-do,
459-040, Korea
T +82-31-611-9456
F +82-31-611-9460
nahj@kovecom.co.kr
www.kovecom.co.kr
Product: Multimedia Kiosk Solution, Medical Kiosk, Remote Managemnet System, Video Conference System, Payphone, CDMA Payphone, ATM

KM-142
The WebTel is a compact public multimedia kiosk for Cyber communication. Users can enjoy voice, surf the Internet surfing and send and receive e-mail while looking at advertisements on the WebTel display screen.

ACROWAVESYSTEM Co., Ltd.

814 Anyang Mega Valley 799
Gwanyang2-dong Dongan-gu
Anyang-si Gyeonggi-do Korea
T +82-31-420-8107
F +82-31-420-8101
cycnkm@acrowave.com
www.acrowave.com
Product: Wifi phone, Wireless Communication Equipment

AVP-2000B
Voice of WLAN IP phone solution
IEEE802.11b WLAN solution
Standard SIP protocol
VoIP QoS support
Multiple function of AVP-2000B cradle
Easy customer setup for AVP-2000B
Cost-effective IP telephony total solution

EC TELECOM Co., Ltd.

5-5, Mojeon-ri Baeksa-myeon
Icheon-si Gyeonggi-do Korea
T +82-31-637-4435
F +82-31-637-4436
hmcectel@ectel.co.kr
www.ectel.co.kr
Product: Repeater

BST100
Located in between a donor antenna and a repeater, the BST100 compensates the cable loss to improve the link budget

CMK Co., Ltd.

85-20 Geumsa-dong
Geumjeong-gu Busan, Korea
T +82-51-522-8088
F +82-51-522-8188
preskim@cmk.co.kr
www.cmk.co.kr
Product: Central control device, Vehicle Related Performance

Central control device
Device that replays image file situated in HDD, stored according to control signal transmitted from setter, and that transmits all types of image information to the LCD passenger information display device

ARION TECHNOLOGY Inc.

3F, Arion B/D. 1042-1
Hogye-dong, Dongan-gu,
Anyang-si, Gyeonggi-do, 431-080,
Korea
T +82-31-361-3000
F +82-31-361-3099
info@arion.co.kr
www.arion.co.kr
Product: DVB set-top boxes and T-DMB, ISDB-T mobile receivers

AF-8000HD CI
Fully Compliant to MPEG-2 Digital standard
Fully Compliant to MPEG-4 part10 AVC HD/H, 264 standard
Fully Compliant to DVB-S/S2 satellite standard
Various Video Display format with PAL/NTSC/480p/576p/720p/1080i 50/60Hz support

CableRex Inc.

507-1 Bupyung-dong Bupyung-gu
Incheon, Korea
T +82-32-508-4490 Ext.340
F +82-32-508-4482
hanair@cablerex.com
www.cablerex.com
Product: Data Cable Modem

CRM-5710
Euro-DOCSIS 2.0 Data Cable Modem
CRM-5710, a next-generation high-speed digital cable modem provided by CableRex will offer upgraded broadband services over HFC network with faster data rate and stable access with more advanced features of Euro-DOCSIS 2.0.

SM Information & Communication Co., Ltd.

A-705 SK Twin Tech Tower,
345-9 Gasan-dong,
Gumcheon-gu, Seoul, Korea
T +82-2-6292-2100
F +82-2-6292-2108
khg@smic21.com
www.smic21.com
Product: TCP/IP Convert, Multi-Port Convert, Wireless LAN Device

NetEye 1000SA
NetEye1000SA is an internet access device (1 Serial Port To Ethernet Converter) with which stand-alone electronic equipments, which communicate with serial connections(i.e., RS-232C, RS-422, RS-485), may access to internet via 10 Base-T Ethernet Interface. NetEye1000SA is designed as an external type of embedded system, having TCP/IP kernel, Ethernet Chip and 1 serial port.

ESLIM KOREA Inc.

F8 IIShin Bangjic B/D 15-15,
Yeouido-dong ,Yeongdeungpo-gu,
Seoul, Korea
T +82-2-715-1588
F +82-2-715-0430
black@eslim.co.kr
www.eslim.co.kr
Product: Rackmount Server, Blade Server, Storage, Solutions

SV7-2186
Intel Xeon 5000/5100 Sequence processors (FSB 1333/1066/667MHz)
Intel 5000P(Blackford), 6321ESB and 82563EB chipset
Up to 32GB Fully-buffer DDR2 667/533MHz Registered
Ultra320 SCSI, SATA Ⅰ/Ⅱ, SAS Interface

ITWell Co., Ltd.

#505 Gayang Technotown, 1487
Gayang-dong, Gangseo-gu, Seoul
157-810, Korea
T +82-2-360-2345
F +82-2-720-1916
hgcho@itwell.co.kr
www.itwell.co.kr
Product: POS Termeinals, POS Peripheral Devlces, Mobile Devlces

XPDA-S
CPU=Intel XScale PXA255 400Mhz
OS=Microsoft Windows CE.net 4.2 professional
Display=3.5″ 1/4 VGA transflective TFT LCD with resistive touch screen
Resolution=240×320

Ceyon Technology Co., Ltd.

13 Samsung Insurance B/D
#942-9, Ingye-dong, Paldal-gu,
Suwon-si, Gyeonggi-do, Korea
T +82-31-267-1163
F +82-31-267-1106
hglim@ceyon.co.kr

www.ceyon.co.kr
Product: Antenna , Reader, RFID/USN

SKY 900M
At UHF Frenquency,longer reading distance is achievable than other frequencies.

Gobiz KOREA
www.gobizkorea.com

For more information, please feel free to contact us.
webmaster@gobizkorea.com
TEL: +82-2-769-6691
FAX: +82-2-769-6692